










**SMART REFERENCE LIST | SMART NATURE BIO-HOUSE SOLUTION 150 KW | CONNECTED TO EXISTING
BIO-GAS STATION CIRCUIT | WITH MULTI-FUEL SILO WITH EXTRA FUEL STORAGE AREA**

SMART NATURE BIO-HOUSE BOILER ROOM AND SILO GALVANIZED STRUCTURE SUPPORTED WITH STATIC CALCULATION, CHEMICAL ANCHORS, INSULATED KINGSPAN PANELS 80/100 MM, CORNERS COVERING PLATES, GUTTERS, AIR VENTILATION GRIDS, ENTRY DOORS, COMPLETE HYDRAULIC INSTALLATION INCL. PLATE EXCHANGER, 2 HEATING CIRCUITS, SIEMENS MEASURING AND REGULATION BOX, COMPLETE CHIMNEY INSTALLATION, DISTRICT HEATING, KNĚŽICE, CZECH REPUBLIC



**SMART REFERENCE LIST | SMART NATURE BIO-HOUSE SOLUTION 150 KW | CONNECTED TO EXISTING
BIO-GAS STATION CIRCUIT | WITH MULTI-FUEL SILO WITH EXTRA FUEL STORAGE AREA**

SMART NATURE BIO-HOUSE BOILER ROOM AND SILO GALVANIZED STRUCTURE SUPPORTED WITH STATIC CALCULATION, CHEMICAL ANCHORS, INSULATED KINGSPAN PANELS 80/100 MM, CORNERS COVERING PLATES, GUTTERS, AIR VENTILATION GRIDS, ENTRY DOORS, COMPLETE HYDRAULIC INSTALLATION INCL. PLATE EXCHANGER, 2 HEATING CIRCUITS, SIEMENS MEASURING AND REGULATION BOX, COMPLETE CHIMNEY INSTALLATION, DISTRICT HEATING, KNĚŽICE, CZECH REPUBLIC






SMART HEATING TECHNOLOGY

SMART HEATING TECHNOLOGY

SMART REFERENCE LIST | SMART NATURE BIO-HOUSE SOLUTION 150 KW | CONNECTED TO EXISTING BIO-GAS STATION CIRCUIT | WITH MULTI-FUEL SILO WITH EXTRA FUEL STORAGE AREA

SMART NATURE BIO-HOUSE BOILER ROOM AND SILO GALVANIZED STRUCTURE SUPPORTED WITH STATIC CALCULATION, CHEMICAL ANCHORS, INSULATED KINGSPAN PANELS 80/100 MM, CORNERS COVERING PLATES, GUTTERS, AIR VENTILATION GRIDS, ENTRY DOORS, COMPLETE HYDRAULIC INSTALLATION INCL. PLATE EXCHANGER, 2 HEATING CIRCUITS, SIEMENS MEASURING AND REGULATION BOX, COMPLETE CHIMNEY INSTALLATION, DISTRICT HEATING, KNĚŽICE, CZECH REPUBLIC





SMART HEATING TECHNOLOGY

SMART HEATING TECHNOLOGY

SMART REFERENCE LIST | SMART NATURE BIO-HOUSE SOLUTION 150 KW | CONNECTED TO EXISTING BIO-GAS STATION CIRCUIT | WITH MULTI-FUEL SILO WITH EXTRA FUEL STORAGE AREA

SMART NATURE BIO-HOUSE BOILER ROOM AND SILO GALVANIZED STRUCTURE SUPPORTED WITH STATIC CALCULATION, CHEMICAL ANCHORS, INSULATED KINGSPAN PANELS 80/100 MM, CORNERS COVERING PLATES, GUTTERS, AIR VENTILATION GRIDS, ENTRY DOORS, COMPLETE HYDRAULIC INSTALLATION INCL. PLATE EXCHANGER, 2 HEATING CIRCUITS, SIEMENS MEASURING AND REGULATION BOX, COMPLETE CHIMNEY INSTALLATION, DISTRICT HEATING, KNĚŽICE, CZECH REPUBLIC





SMART REFERENCE LIST | SMART NATURE BIO-HOUSE SOLUTION 150 KW | CONNECTED TO EXISTING BIO-GAS STATION CIRCUIT | WITH MULTI-FUEL SILO WITH EXTRA FUEL STORAGE AREA

SMART NATURE BIO-HOUSE BOILER ROOM AND SILO GALVANIZED STRUCTURE SUPPORTED WITH STATIC CALCULATION, CHEMICAL ANCHORS, INSULATED KINGSPAN PANELS 80/100 MM, CORNERS COVERING PLATES, GUTTERS, AIR VENTILATION GRIDS, ENTRY DOORS, COMPLETE HYDRAULIC INSTALLATION INCL. PLATE EXCHANGER, 2 HEATING CIRCUITS, SIEMENS MEASURING AND REGULATION BOX, COMPLETE CHIMNEY INSTALLATION, DISTRICT HEATING, KNĚŽICE, CZECH REPUBLIC





SMART HEATING TECHNOLOGY

SMART HEATING TECHNOLOGY

SMART REFERENCE LIST | SMART NATURE BIO-HOUSE SOLUTION 150 KW | CONNECTED TO EXISTING BIO-GAS STATION CIRCUIT | WITH MULTI-FUEL SILO WITH EXTRA FUEL STORAGE AREA

SMART NATURE BIO-HOUSE BOILER ROOM AND SILO GALVANIZED STRUCTURE SUPPORTED WITH STATIC CALCULATION, CHEMICAL ANCHORS, INSULATED KINGSPAN PANELS 80/100 MM, CORNERS COVERING PLATES, GUTTERS, AIR VENTILATION GRIDS, ENTRY DOORS, COMPLETE HYDRAULIC INSTALLATION INCL. PLATE EXCHANGER, 2 HEATING CIRCUITS, SIEMENS MEASURING AND REGULATION BOX, COMPLETE CHIMNEY INSTALLATION, DISTRICT HEATING, KNĚŽICE, CZECH REPUBLIC





SMART HEATING TECHNOLOGY

SMART HEATING TECHNOLOGY

SMART REFERENCE LIST | SMART NATURE BIO-HOUSE SOLUTION 150 KW | CONNECTED TO EXISTING BIO-GAS STATION CIRCUIT | WITH MULTI-FUEL SILO WITH EXTRA FUEL STORAGE AREA

SMART NATURE BIO-HOUSE BOILER ROOM AND SILO GALVANIZED STRUCTURE SUPPORTED WITH STATIC CALCULATION, CHEMICAL ANCHORS, INSULATED KINGSPAN PANELS 80/100 MM, CORNERS COVERING PLATES, GUTTERS, AIR VENTILATION GRIDS, ENTRY DOORS, COMPLETE HYDRAULIC INSTALLATION INCL. PLATE EXCHANGER, 2 HEATING CIRCUITS, SIEMENS MEASURING AND REGULATION BOX, COMPLETE CHIMNEY INSTALLATION, DISTRICT HEATING, KNĚŽICE, CZECH REPUBLIC






SMART REFERENCE LIST | SMART NATURE BIO-HOUSE SOLUTION 150 KW | CONNECTED TO EXISTING BIO-GAS STATION CIRCUIT | WITH MULTI-FUEL SILO WITH EXTRA FUEL STORAGE AREA

SMART NATURE BIO-HOUSE BOILER ROOM AND SILO GALVANIZED STRUCTURE SUPPORTED WITH STATIC CALCULATION, CHEMICAL ANCHORS, INSULATED KINGSPAN PANELS 80/100 MM, CORNERS COVERING PLATES, GUTTERS, AIR VENTILATION GRIDS, ENTRY DOORS, COMPLETE HYDRAULIC INSTALLATION INCL. PLATE EXCHANGER, 2 HEATING CIRCUITS, SIEMENS MEASURING AND REGULATION BOX, COMPLETE CHIMNEY INSTALLATION, DISTRICT HEATING, KNĚŽICE, CZECH REPUBLIC



SMART REFERENCE LIST | SMART NATURE BIO-HOUSE SOLUTION 150 KW | CONNECTED TO EXISTING BIO-GAS STATION CIRCUIT | WITH MULTI-FUEL SILO WITH EXTRA FUEL STORAGE AREA

SMART NATURE BIO-HOUSE BOILER ROOM AND SILO GALVANIZED STRUCTURE SUPPORTED WITH STATIC CALCULATION, CHEMICAL ANCHORS, INSULATED KINGSPAN PANELS 80/100 MM, CORNERS COVERING PLATES, GUTTERS, AIR VENTILATION GRIDS, ENTRY DOORS, COMPLETE HYDRAULIC INSTALLATION INCL. PLATE EXCHANGER, 2 HEATING CIRCUITS, SIEMENS MEASURING AND REGULATION BOX, COMPLETE CHIMNEY INSTALLATION, DISTRICT HEATING, KNĚŽICE, CZECH REPUBLIC





SMART HEATING TECHNOLOGY

SMART HEATING TECHNOLOGY

SMART REFERENCE LIST | SMART NATURE BIO-HOUSE SOLUTION 150 KW | CONNECTED TO EXISTING BIO-GAS STATION CIRCUIT | WITH MULTI-FUEL SILO WITH EXTRA FUEL STORAGE AREA

SMART NATURE BIO-HOUSE BOILER ROOM AND SILO GALVANIZED STRUCTURE SUPPORTED WITH STATIC CALCULATION, CHEMICAL ANCHORS, INSULATED KINGSPAN PANELS 80/100 MM, CORNERS COVERING PLATES, GUTTERS, AIR VENTILATION GRIDS, ENTRY DOORS, COMPLETE HYDRAULIC INSTALLATION INCL. PLATE EXCHANGER, 2 HEATING CIRCUITS, SIEMENS MEASURING AND REGULATION BOX, COMPLETE CHIMNEY INSTALLATION, DISTRICT HEATING, KNĚŽICE, CZECH REPUBLIC



SMART REFERENCE LIST | SMART NATURE BIO-HOUSE SOLUTION 150 KW | CONNECTED TO EXISTING BIO-GAS STATION CIRCUIT | WITH MULTI-FUEL SILO WITH EXTRA FUEL STORAGE AREA

SMART NATURE BIO-HOUSE BOILER ROOM AND SILO GALVANIZED STRUCTURE SUPPORTED WITH STATIC CALCULATION, CHEMICAL ANCHORS, INSULATED KINGSPAN PANELS 80/100 MM, CORNERS COVERING PLATES, GUTTERS, AIR VENTILATION GRIDS, ENTRY DOORS, COMPLETE HYDRAULIC INSTALLATION INCL. PLATE EXCHANGER, 2 HEATING CIRCUITS, SIEMENS MEASURING AND REGULATION BOX, COMPLETE CHIMNEY INSTALLATION, DISTRICT HEATING, KNĚŽICE, CZECH REPUBLIC





SMART REFERENCE LIST | SMART NATURE BIO-HOUSE SOLUTION 150 KW | CONNECTED TO EXISTING BIO-GAS STATION CIRCUIT | WITH MULTI-FUEL SILO WITH EXTRA FUEL STORAGE AREA

SMART NATURE BIO-HOUSE BOILER ROOM AND SILO GALVANIZED STRUCTURE SUPPORTED WITH STATIC CALCULATION, CHEMICAL ANCHORS, INSULATED KINGSPAN PANELS 80/100 MM, CORNERS COVERING PLATES, GUTTERS, AIR VENTILATION GRIDS, ENTRY DOORS, COMPLETE HYDRAULIC INSTALLATION INCL. PLATE EXCHANGER, 2 HEATING CIRCUITS, SIEMENS MEASURING AND REGULATION BOX, COMPLETE CHIMNEY INSTALLATION, DISTRICT HEATING, KNĚŽICE, CZECH REPUBLIC





SMART HEATING TECHNOLOGY

SMART HEATING TECHNOLOGY

SMART REFERENCE LIST | SMART NATURE BIO-HOUSE SOLUTION 150 KW | CONNECTED TO EXISTING BIO-GAS STATION CIRCUIT | WITH MULTI-FUEL SILO WITH EXTRA FUEL STORAGE AREA

SMART NATURE BIO-HOUSE BOILER ROOM AND SILO GALVANIZED STRUCTURE SUPPORTED WITH STATIC CALCULATION, CHEMICAL ANCHORS, INSULATED KINGSPAN PANELS 80/100 MM, CORNERS COVERING PLATES, GUTTERS, AIR VENTILATION GRIDS, ENTRY DOORS, COMPLETE HYDRAULIC INSTALLATION INCL. PLATE EXCHANGER, 2 HEATING CIRCUITS, SIEMENS MEASURING AND REGULATION BOX, COMPLETE CHIMNEY INSTALLATION, DISTRICT HEATING, KNĚŽICE, CZECH REPUBLIC





SMART HEATING TECHNOLOGY

SMART HEATING TECHNOLOGY

SMART REFERENCE LIST | SMART NATURE BIO-HOUSE SOLUTION 150 KW | CONNECTED TO EXISTING BIO-GAS STATION CIRCUIT | WITH MULTI-FUEL SILO WITH EXTRA FUEL STORAGE AREA

SMART NATURE BIO-HOUSE BOILER ROOM AND SILO GALVANIZED STRUCTURE SUPPORTED WITH STATIC CALCULATION, CHEMICAL ANCHORS, INSULATED KINGSPAN PANELS 80/100 MM, CORNERS COVERING PLATES, GUTTERS, AIR VENTILATION GRIDS, ENTRY DOORS, COMPLETE HYDRAULIC INSTALLATION INCL. PLATE EXCHANGER, 2 HEATING CIRCUITS, SIEMENS MEASURING AND REGULATION BOX, COMPLETE CHIMNEY INSTALLATION, DISTRICT HEATING, KNĚŽICE, CZECH REPUBLIC

